

MORaine RECYCLING, Inc.
2708 Kreitzer Road
Dayton, Ohio 45439

US EPA RECORDS CENTER REGION 5



508037

November 12, 1970

State of Ohio Dept. of Health
Southwest District Office
Knott Bldg.-3rd Floor
40 S. Main Street
Dayton, Ohio 45402

Attn: Mr. Arthur T. Knauer

Dear Sir:

As per your letter dated October 30, 1970, we have brought the plans up to date, redrawn and submitted all other information you requested.

We are re-submitting all materials and re-applying for our permit hoping everything is to your satisfaction.

If there is any other information required at this time please contact me.


Sincerely yours,

MORaine RECYCLING, INC.

Alcine S. Grillot

Alcine Grillot
President

AG/bc



MONTGOMERY COUNTY HEALTH DEPARTMENT

325 WEST SECOND STREET

DAYTON, OHIO 45402

ROBERT A. VOGEL, M.D.
HEALTH COMMISSIONER

August 14, 1970

DIVISION OF ENVIRONMENTAL HEALTH
DAVID PEDEN, MPH, DIRECTOR
224-9114 EXTENSION 7101
HOUSING SECTION - EXT. 7114

Ohio Department of Health
Southwest District Office
Knott Building
Third Floor
40 South Main Street
Dayton, Ohio 45402

Re: Solid Waste Disposal Site
South Dayton Dump & Landfill
1975 Springboro Road
Dayton, Ohio

Attention: Mr. Arthur Knauer

Dear Mr. Knauer:

We have enclosed a letter from Mr. Alcine Grillot requesting approval of an Air Curtain Destructor to be located on his dump site in the City of Moraine. He is planning on locating the Destructor as shown on the four (4) copies of the enclosed plot plan. The Air Curtain Destructor itself is being purchased from the St. Louis Blow Pipe and Heater Company, 1948-60 North 9th Street, P.O. Box 5504, Bremen Station, St. Louis, Missouri, 63160. This seventeen foot long unit will be installed next to a burning pit, exactly as shown in the four copies of the Air Curtain Destructor that were recently sent to your office for approval.

The owners of this Destructor wish to have it installed as soon as possible. We would appreciate making a joint visit to the property at your earliest convenience.

Sincerely yours,


ROBERT A. VOGEL, M. D.,
Health Commissioner

By John H. Bindeman
John H. Bindeman, R.S., M.P.H.,
Supervising Sanitarian

MONTGOMERY COUNTY, OHIO

JHS/cjf

cc: Alcine Grillot
South Dayton Dump and Landfill



For Sale
Drums, Barrels
and Kegs

SOUTH DAYTON DUMP & LAND FILL

1975 Springboro Road
DAYTON 39, OHIO
Phone AX-9-8891

We Buy
Old Trucks
Car and
Machinery

Robert A. Vogel M.D.
Montgomery County
Health Commissioner
315 West Second Street
Dayton, Ohio

August 13, 1970

I am submitting a request for approval of an AIR CURTAIN DESTRUCTOR to be located on a portion of the South Dayton Dump site at 1975 Springboro Road, as per plans submitted with this request. We are forming a new corporation. Lorraine Recycling Inc. 1975 Springboro Road. Alcine Grillet, 2708 Kreitzer Road, President.


Plans for AIR CURTAIN DESTRUCTOR to conform to recommendations of Montgomery County Board of Health plans.

Sincerely,

Alcine Grillet

Alcine Grillet

AG:lag
12



Re: Montgomery County
Solid Wastes

Southwest District Office
Knott Bldg. - 3rd Floor
40 South Main Street
Dayton, Ohio 45402
Tel. 461-5400

August 5, 1970

Robert A. Vogel, M.D.
Health Commissioner
Montgomery County Health Department
225 N. Second Street
Dayton, Ohio 45402

Dear Dr. Vogel:

On July 2, 1970 plans of proposed portable and permanent air curtain destructor type burner were received from Mr. Aubrie, of your air pollution unit.

The plans call for a trench 8' wide and 12' in depth and 15' in length. Across the top end at an angle, air will be directed from a 30" diameter pipe. Air will be supplied by a 12,000 CFM industrial fan driven by a gasoline or diesel engine.

The request was to utilize these devices for burning clean lumber which would include tree limbs, tree trimmings, pallets and other clean wood waste.

This plan appears to be satisfactory and could be tried on an experimental basis, providing your air pollution unit believes that it will produce no odors and pollutants which will be in conflict with your air pollution code. This burner will be observed on an experimental basis to determine its feasibility and operational characteristics.

Very truly yours,

Arthur T. Knauer
District Sanitary Engineer

ATK:mas

cc: Mr. William M. Aubrie, Supervisor
Air Pollution Control Section
cc: Mr. John Rindeman
Montgomery County Health Department